
Gas nailer




The efficient gas nailer for drywall construction



Gas nailer FOX

Advantages, approvals and certificates



<image>

Suitable building materials



Designed for use it in different base materials such as concrete, steel, solid bricks and to a limited extend wood. Can be used on floors, walls, and ceilings.

Applications



Drywall construction Fastening of drywall profiles.



Light- duty construction applications For fixing drainage foils on walls.



Installations For fixing conduits, cables and pipes on floors.

Technical data of gas nailer FOX

Characteristics	Technical data
Height	385 mm
Width	130 mm
Length	327 mm
Weight	3.8 Kg (battery included)
Loading capacity	FOX 20: 20 + 2 nails* FOX 40: 40 + 2 nails*
Type of battery	Li-Ion-battery (battery lasts for 8000 nails)
Capacity of battery	2.500 mAh
Connection charger	100-240V AC. (50 or 60Hz)
Charging time	90 min for full charge
Temperature range for use	0°C to 50°C

* There must be at least 2 nails in the magazine, otherwise the nailer cannot be triggered.

Main features / Advantages



85 Joule power ensure good quality setting results



Gas power 2 nails per second; high setting frequency





Highly effective dust protection Clever filter systems at the suction and discharge openings



Fast recharge A 2 minutes charge allows you to set at least another 200 nails



Ergonomic handle relieves the hand during longer use



Demountable tool nose for quick removal of jammed nail residues



Simple and fast depth adjustement to adapt to various applications



Fast clearance of jammed nails Quick release system



Laterally adjustable belt hook for the right and left handed



Battery indicator prevents a standstill at the construction site



Li-Ion battery Up to 8.000 fastenings per charge



Versatile Nails from 13 to 40 mm length for many different base materials

Set includes

- 1 x Gas nailer FOX
- 1 x Safety goggles
- 2 x Ear plugs
- 2 x Battery Li-Ion
- 1 x Charger
- 1 x Carrying case
- 1 x Instruction manual
- 1 x Allen wrench 4
- 1 x Allen wrench 5





Gas nailer FOX

Туре	Art-No	€/ 1 pc	[Set]	⑦ [pcs]
FOX with magazine for 20 nails	FOX20		1	-
FOX with magazine for 40 nails	FOX40		1	_



Battery and charger for gas nailer FOX

Туре	Art-No	€/ 1 pc	[pcs]	⑦ [pcs]
FOX Battery	FOXBAT		1	-
FOX Charger	FOXCARSET		1	-



Туре	Art-No	Height [mm]	Content [m1]	€/ 1 pc	[pcs]	[pcs]
Fuel cell*	91GASA	180	80		1	20

* sufficient for min. 1.000 nails

Steel nails FOX TKA & XHA

Advantages





- TKA:
 - standard nails for concrete and solid bricks
 - Nail 15 mm especially hardened for concrete and steel
- XHA:
 - Premium nails
 - Nail 13 mm especially hardened for steel
 - Grooved nails to improve grip
- Each box includes one high-performance fuel cell, sufficient for 1.000 nails


Approvals and certificates







Mounting



+ each box includes one high-performance fuel cell



TKA standard nails for FOX

Туре	Art-No	Nail-Ø d _{s,N} [mm]	Length L [mm]	Head-Ø d _h [mm]	€/ 100 pcs	[pcs]	(pcs)
TKA nails 15 mm + fuel cell	9151000TKA	2,6	15	6,3		1.000	5.000
TKA nails 19 mm + fuel cell	9191000TKA	2,6	19	6,3		1.000	5.000
TKA nails 25 mm + fuel cell	9251000TKA	2,6	25	6,3		1.000	5.000
TKA nails 30 mm + fuel cell	9301000TKA	2,6	30	6,3		1.000	5.000
TKA nails 40 mm + fuel cell	9401000TKA	2,6	40	6,3		1.000	5.000



Steel nails FOX





+ each box includes one high-performance fuel cell



XHA premium nails for FOX

Туре	Art-No	Nail-Ø d _{s,N} [mm]	Length L [mm]	Head-Ø d _h [mm]	€/ 100 pcs	[pcs]	(pcs)
XHA premium nails 13 mm + fuel cell*	9131000XHA	3	13	6,3		1.000	5.000
XHA premium nails 17 mm + fuel cell	9171000XHA	3	17	6,3		1.000	5.000
XHA premium nails 22 mm + fuel cell	9221000XHA	3	22	6,3		1.000	5.000
XHA premium nails 27 mm + fuel cell*	9271000XHA	3	27	6,3		1.000	5.000
XHA premium nails 32 mm + fuel cell*	9321000XHA	3	32	6,3		1.000	5.000
XHA premium nails 38 mm + fuel cell*	9381000XHA	3	38	6,3		1.000	5.000

* No stock item; only available on request

Overview - Suitable building materials for XHA and TKA FOX

		XHA 13 mm	TKA 15 mm	XHA 17 mm	TKA 19 mm	XHA 22 mm	TKA 25 mm	XHA 27 mm	TKA 30 mm	XHA 32 mm	XHA 38 mm	TKA 40 mm
	Steel (min. thickness 3,5 mm)	•	•									
P	Concrete > C20/25		•	•	0	0						
	Concrete C20/25			0	•	•	•	0				
P	Solid brick			0	٠	•	•	٠	•	0	0	0
ad .	Hollow brick						•	٠	•	•		
	Wood										•	•

Magnetic holder for gas nailer FOX FOXMH

Advantages



- Magnetic holder for FOX gas nailer- clips easily onto the nose of the tool
- Time and money saving as any kind of thin steel metal discs can be used with the magnetic holder
- Typical applications:
 - fixing expanded metal mesh to steel beams
 - fixing of any kind of foil, fleece or mesh



FOXMH

Туре	Art-No	Height H [mm]	Outer-Ø [mm]	Inner-Ø [mm]	€/ 1 pc	[pcs]	[pcs]
FOXMH	FOXMH	9,5	23,5	11,5		1	-



Compatibility CELO gas nailer accessories

	, gue	CELO ga FORCE ONE	s nailers FOX
Ad	CELO ocessories	T	R
ХНА		~	~
ТКА	000000000	✓	×
GASFONE		~	X
GASA FOX		X	×
ABT	828	~	~
UT		✓	×
TPC/TPLC	0	~	~
WSC		×	×
WDC		~	×
TBB		×	×
NTBB grey		X	X
TBL		×	×
TBD	I NOT	~	×
TBM		✓	×
FP	<u></u>	~	~
FPD	1	✓	×
FT	_	~	~
CHS	<u>ن</u>	~	~
PFT		~	~
DFT	P	✓	×
ATR M6		~	~
ATR M8	+	×	×
ATV		~	~
ATVS 8		✓	×
AAT	1 1	~	~
AW		✓	×
AP		~	~
TXS		×	×

The gas nailer accessories from CELO are compatible with many other gas nailers!

Scan here to download comparison table:

